

User Commands	PBS/Torque	Slurm	.SF	SGE	loadLeveler
Job submission	qsub [script_file]	sbatch [script_file]	sub [script_file]	qsub [script_file]	submit [script_file]
Job deletion	qdel [job_id]	scancel [job_id]	kill [job_id]	qdel [job_id]	cancel [job_id]
Job status (by job)	qstat [job_id]	squeue [job_id]	jobs [job_id]	qstat -u \^* [-j job_id]	q -u [username]
Job status (by user)	qstat -u [user_name]	squeue -u [user_name]	jobs -u [user_name]	qstat [-u user_name]	q -u [user_name]
Job hold	qhold [job_id]	scontrol hold [job_id]	stop [job_id]	qhold [job_id]	hold -r [job_id]
Job release	qrls [job_id]	scontrol release [job_id]	resume [job_id]	qrls [job_id]	hold -r [job_id]
Queue list	qstat -Q	squeue	queues	qconf -sql	class
Node list	pbsnodes -l	sinfo -N OR scontrol show nodes	hosts	qhost	status -L machine
Cluster status	qstat -a	sinfo	queues	qhost -q	status -L cluster
GUI	xpbsmon	sview	lsf OR xlsbatch	qmon	load
Environment	PBS/Torque	Slurm	.SF	SGE	loadLeveler
Job ID	\$PBS_JOBID	\$SLURM_JOBID	LSB_JOBID	\$JOB_ID	LOAD_STEP_ID
Submit Directory	\$PBS_O_WORKDIR	\$SLURM_SUBMIT_DIR	LSB_SUBCWD	\$SGE_O_WORKDIR	LOADL_STEP_INITDIR
Submit Host	\$PBS_O_HOST	\$SLURM_SUBMIT_HOST	LSB_SUB_HOST	\$SGE_O_HOST	
Node List	\$PBS_NODEFILE	\$SLURM_JOB_NODELIST	LSB_HOSTS/LSB_MCPU_HOS	\$PE_HOSTFILE	LOADL_PROCESSOR_LIST
Job Array Index	\$PBS_ARRAYID	\$SLURM_ARRAY_TASK_ID	LSB_JOBINDEX	\$SGE_TASK_ID	
Job Specification	PBS/Torque	Slurm	.SF	SGE	loadLeveler
Script directive	#PBS	#SBATCH	BSUB	#\$	@
Queue	-q [queue]	-p [queue]	q [queue]	-q [queue]	class=[queue]
Node Count	-l nodes=[count]	-N [min[-max]]	n [count]	N/A	node=[count]
CPU Count	-l ppn=[count] OR -l mppwidth=[PE_count]	-n [count]	n [count]	-pe [PE] [count]	
Wall Clock Limit	-l walltime=[hh:mm:ss]	-t [min] OR -t [days-hh:mm:ss]	W [hh:mm:ss]	-l h_rt=[seconds]	wall_clock_limit=[hh:mm:ss]
Standard Output File	-o [file_name]	-o [file_name]	o [file_name]	-o [file_name]	output=[file_name]
Standard Error File	-e [file_name]	e [file_name]	e [file_name]	-e [file_name]	error=[File_name]
Combine stdout/err	-j oe (both to stdout) OR -j eo (both to stderr)	(use -o without -e)	use -o without -e)	-j yes	
Copy Environment	-V	--export=[ALL NONE variables]	B or -N	-V	environment=COPY_ALL
Event Notification	-m abe	--mail-type=[events]	3 or -N	-m abe	notification=start error complete never always
Email Address	-M [address]	--mail-user=[address]	u [address]	-M [address]	notify_user=[address]
Job Name	-N [name]	--job-name=[name]	J [name]	-N [name]	job_name=[name]
Job Restart	-r [y n]	--requeue OR --no-requeue (NOTE: configurable default)	-	-r [yes no]	restart=[yes no]
Working Directory	N/A	--workdir=[dir_name]	submission directory)	-wd [directory]	initialdir=[directory]
Resource Sharing	-l naccesspolicy=singlejob	--exclusive OR--shared	<	-l exclusive	node_usage=not_shared
Memory Size	-l mem=[MB]	--mem=[mem][M G T] OR --mem-per-cpu=[mem][M G T]	M [MB]	-l mem_free=[memory][K M G]	requirements=(Memory >= [MB])
Account to charge	-W group_list=[account]	--account=[account]	P [account]	-A [account]	
Tasks Per Node	-l mppnppn [PEs_per_node]	--tasks-per-node=[count]		(Fixed allocation_rule in PE)	tasks_per_node=[count]
CPUs Per Task		--cpus-per-task=[count]			
Job Dependency	-d [job_id]	--depend=[state:job_id]	w [done exit finish]	-hold_jid [job_id job_name]	
Job Project		--wckey=[name]	P [name]	-P [name]	
Job host preference		--odelist=[nodes] AND/OR --exclude=[nodes]	m [nodes]	-q [queue]@[node] OR -q [queue]@[hostgroup]	
Quality Of Service	-l qos=[name]	--qos=[name]			
Job Arrays	-t [array_spec]	--array=[array_spec] (Slurm version 2.6+)	"name[array_spec]"	-t [array_spec]	
Generic Resources	-l other=[resource_spec]	--gres=[resource_spec]		-l [resource]=[value]	
Licenses		--licenses=[license_spec]	R "rusage[license_spec]"	-l [license]=[count]	
Begin Time	-A "YYYY-MM-DD HH:MM:SS"	--begin=YYYY-MM-DD[THH:MM[:SS]]	o[[year:][month:]day:]hour:minute]	-a [YYMMDDhhmm]	